EXAXOL CHEMICAL CORPORATION		Revision nr. 1
		Dated 2/7/2015
A0066 - Ammonium Hydroxide 28%		Printed on 7/10/2015
A0000 - Animonium Hydroxide 20%		Page n. 1/13
Safety data sheet ac SECTION 1. Identification of the subs 1.1. Product identifier Code: Product name INDEX number EC number CAS number	A0066 Ammonium Hydroxide 28% 007-001-01-2 215-647-6 1336-21-6	
1.2. Relevant identified uses of the substance or m Intended use For Laboratory Use O	•	
<b>1.3. Details of the supplier of the safety data sheet</b> Name Full address District and Country	EXAXOL CHEMICAL CORPORATION 14325 60 TH ST N 33760 CLEARWATER - FLORIDA US	
	Tel. 1-727-524-7732 Fax 1-727-532-8221	
e-mail address	info@exaxol.com	
<b>1.4. Emergency telephone number</b> For urgent inquiries refer to	1-800-255-3924 ChemTel Inc.	
SECTION 2. Hazards identification.		
2.1. Classification of the substance or mixture.		Chardend (UOD) (20.055 (2010 (2020) T
The product is classified as hazardous pursuant to the	provisions set forth in USHA Hazard Communication	Standard (HCS) (29 CFR 1910.1200). The

product thus requires a safety datasheet. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement. Skin corrosion, category 1B Serious eye damage, category 1 Specific target organ toxicity - single exposure, category 3

Signal words:

Danger

Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.

Hazard statements:

P260     Do not breather dust / fume / gas / mist / vapours / spray.       P274     Wash in throughly dare handling.       P271     Use only outdoors or in a well-ventilated area.       P280     Wear protective gloox / protective outhing. / expontection / face protection.       Response:     IF INHALED: remove show in an outh. Do not induce voniting.       P304-P330     IF INHALED: remove person to free har in and keep controltable for breathing.       P304-P331     IF INHALED: remove person to free har in and keep controltable for breathing.       P304-P330     IF INHALED: remove person to free har in and keep controltable for breathing.       P304-P330     IF INHALED: remove person to free har in and keep controltable for breathing.       P304-P330     IF INHALED: remove person to free har in and keep controltable for breathing.       P304-P330     Specific treatment (see label).       P305     Specific treatment (see label).       P305     Store locked up.       P305     Store locked up.       P306     Store locked up.       P305     Store locked up.       P405     Store locked up.       P306     Bisposel       P405     Store locked up.       P306     Bispose of contents / container tightly closed.       P405     Store locked up.       P306     Bispose of contents / container to an approved waste disposal plant.       P20<		EXAXOL CHEMICAL CORPORATION	Revision nr. 1 Dated 2/7/2015
H335       May cause respiratory initiation.         Precautionary statements:         Precautionary statements:         Precautionary statements:         P361       Do not breathe dust / fume / gas / mist / vapours / spray.         P364       Wash skin thronughly after handling.         P361       Use only outdoors or in a well-ventilated area.         P361       JE SWALLOWED: rinse mouth. Do not induce vontiling.         P301+7330+731       IF SWALLOWED: rinse mouth. Do not induce vontiling.         P301+7330+731       IF SWALLOWED: rinse mouth. Do not induce vontiling.         P301+731+7533       IF NKALED: rinse mouth. Do not induce vontiling.         P301+731+7533       IF NKALED: Termove person to fresh air and keep controlate for broating.         P301+731+7533       IF NKALED: Termove person to fresh air and keep controlate for broating.         P301       IF IN INF26: rinse attrolowy with water for several innuistes. Renove contract lenses, if present and easy to do. Continue         P301       Store locked up.         P303       Store locked up.         P304       Store locked up.         P305       Store locked up.         P306       Store locked up.         P307       Dispose of contents / container to an approved waste disposal plant.         12. Other hazards.       Warning		A0066 - Ammonium Hydroxide 28%	
Provide the second sec			
P264     Wash skin throughly after handling.       P271     Use only outdoors or in a well-ventilated area.       P280     Wear protective gloves / protective clothing / eye protection / face protection.       P301+733-P331     IF SWALLOWED; rinse mouth. Do not induce vomiting.       P301+733-P331     IF INFALED: remove person to reach air and keep continutable for breathing.       P301+731+733     IF IN FES. firse calculosity with water for several minutes. Remove contact lenses, if present and easy to do. Continue the first for the calculosity with water or several minutes. Remove contact lenses, if present and easy to do. Continue T311       P301     Specific treatment (see label).       P303     Store in a well-ventilated place. Keep container tightly closed.       Store in a well-ventilated place. Keep container tightly closed.     Store in a well-ventilated place. Keep container tightly closed.       P304     Store in a well-ventilated place. Keep container tightly closed.       P305     Store in a well-ventilated place. Keep container tightly closed.       P305     Store in a well-ventilated place. Keep container tightly closed.       P305     Store incked up.       P305     Store locked up.       P305     Store incked up.       P304     Dispose of contents / container to an approved waste disposal plant.       P22. Other hazards.     Storement.       Storement.     Hood       P436     Store locked up.       S			
P260     Do not breathe dust / fume / gas / mist / vapours / spray.       P274     Was is kin thorough yater handling.       P271     Use only outdoors or in a well-ventilated area.       P270     P271       P301 - P334 - P333     IF SWALLOWED: rinse mouth. Do not induce vontiling.       P303 - P334 - P333     IF ON SKN (or tan)r. take of immediately all contaminated clothing. Rinse skin with water / shower.       P303 - P334 - P333     IF ON SKN (or tan)r. take of furme/ gas in a deep contortable for breathing.       P304 - P334 - P333     IF IF ON SKN (or tan)r. take of furme/ gas in a deep contortable for breathing.       P304 - P334 - P333     IF IF ON SKN (or tan)r. take of furme/ gas in a deep contortable for breathing.       P304 - P334 - P333     IF IF ON SKN (or tan)r. take of furme/ gas in a deep contortable for breathing.       P305 - P335 - P333     If is is cautiously with water / shower.       P310     Immediately call a POISON CENTER / doctor.       P333     Store in a well-ventilated place. Keep container tightly closed.       P403 - P335     Store in a well-ventilated place. Keep container tightly closed.       P403 - P335     Store in a well-ventilated place. Keep container tightly closed.       P403 - D30 - Dispose of contents / container to an approved waste disposal plant.       2.2. Other hazards.       Environmental classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).       Classified as hazard	Prevention.		
P264     Wash skin throughly after handling.       P271     Use only outdoor or in a well-ventilated area.       P280     Wear protective glows? protective clothing / eye protection.       P301+P331-P331     IF SWALLOWED; rinse mouth. Do not induce vomiting.       P301+P331-P331     IF INFALED: treate mouth. Do not induce vomiting.       P301+P331-P331     IF INFES: rinse calculosy with water for several minutes. Renove contact lenses, if present and easy to do. Continue TP314 P331-P333       P301+P31-P333     IF INFES: rinse calculosy with water for several minutes. Renove contact lenses, if present and easy to do. Continue T9314 Specific treatment (see label).       P333     Store in a well-ventilated place. Keep container tighty closed.       P405     Store io locked up.       P353     Bip Dost of contents / container to an approved waste disposal plant.       P314     Dispose of contents / container to an approved waste disposal plant.       P32.     Container to an approved waste disposal plant.       P32.     Store in a well-ventilated place.       P334     Store in a well-ventilated place.       P340     Dispose of contents / container to an approved waste disposal plant.       P32.     Coltext is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).       Classification and Hazard Statements:     Hazard statements:       H400     Very toxic to aquatic life.       P334     Av		Do not breathe dust / fume / gas / mist / vapours / spray.	
P271     Use only outdoors or in a well-ventilated area.       P280     Wear protective gloves / protective only protection of hace protection.       Response:     IF       P301+P330+P331     IF SWALLOWED: finse mouth. Do not induce voniting.       P302+P331     IF SWALLOWED: finse mouth. Do not induce voniting.       P303+P331     IF IN KALED: remove parson to fresh at rank keep controlately for breating.       P303+P331     IF IN KALED: remove parson to fresh at rank keep controlately and containing.       P303+P331     Signal words:       P303     Signal words:       P403+P333     Signal words:       P403+P334     Signal words:       P403+P334     Signal words:       P403+P335     Signal words:       P403+P336     Signal words:       P403+P334     Signal words:       P403+P334     Signal words:       P403+P335     Signal words:       P403+P336     Signal words:       P403+P336     Signal words:       P403+P334     Signal words:       P403+P335     Signal words:       P403+P336     Signal words:       Warning     Very toxic to aquatic life.	P264		
Response: Past-Past-Past Past Past Past Past Past Past Past		Use only outdoors or in a well-ventilated area.	
P301+P331+P330       IF SWALLOWED: rinse mouth. Do not induce vomiling.         P303+P331+P330       IF INFALED: remove person to fresh air and keep comfortable for breathing.         P304+P331+P330       IF INFALED: remove person to fresh air and keep comfortable for breathing.         P304+P331+P330       IF INFALED: remove person to fresh air and keep comfortable for breathing.         P304+P331+P330       IF INFALED: remove person to fresh air and keep comfortable for breathing.         P304+P331+P330       IF INFALED: remove person to fresh air and keep comfortable for breathing.         P304+P331+P330       IF INFALED: calculosely with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P304       Immediately all on the development and keep comfortable for breathing.         P303       Store in a well-ventilated place. Keep container tightly closed.         P403+P331       Store in a well-ventilated place. Keep container tightly closed.         P403       Store in a well-ventilated place. Keep container tightly closed.         P403+P331+P330       Store in a well-ventilated place. Keep container tightly closed.         P403+P331+P330       Store in a well-ventilated place. Keep container tightly closed.         P403+P331       Dispose of contents / container to an approved waste disposal plant.         P32       Cohert bacards.         Environmental classification as for Reg. (EU) 1272/2008 (CLP). <td></td> <td>Wear protective gloves / protective clothing / eye protection / face protection.</td> <td></td>		Wear protective gloves / protective clothing / eye protection / face protection.	
P304-P304       IF ON SKIN (or hair): take off immediately all contaminated clothing. Rhea skim with water / shower.         P304-P304       IF IN KLED: remove person to freah air and keep comforable for toreathing.         P305-P331+P333       IF IN EYES: rise cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rising.         P310       Immediately call a POISON CENTER / doctor.         P321       Specific retartmert (see label).         P303       Wash contaminated clothing before reuse.         Storage:       Bio Store in a well-ventilated place. Keep container tightly closed.         P405       Store in a well-ventilated place. Keep container tightly closed.         P405       Store in a well-ventilated place. Keep container tightly closed.         P405       Store in a well-ventilated place. Keep container tightly closed.         P405       Store in a well-ventilated place. Keep container tightly closed.         P405       Store in a well-ventilated place. Keep container tightly closed.         P405       Store in a well-ventilated place. Keep container to an approved waste disposal plant.         2.2. Other hazards.       Environmental classification as for Reg. (EU) 1272/2008 (CLP):         Cher hazards.       Storement.         Baserification and Hazard Statement.       Hazardous to the aquatic environment, acute toxichy, category 1       Very toxic to aquatic life.			
P321       Specific treatment (see label).         P363       Wash contaminated clothing before reuse.         Norage:       Wash contaminated clothing before reuse.         Norage:       Store in a well-wentilated place. Keep container tightly closed.         P403       Store locked up.         Disposal:       Dispose of contents / container to an approved waste disposal plant.         2.2. Other hazards.       Environmental classification as for Reg. (EU) 1272/2008 (CLP):         The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).         Classification and Hazard Statement.         Hazardous to the aquatic environment, acute toxicity, category 1       Very toxic to aquatic life.         Very toxic to aquatic life.       Very toxic to aquatic life.         Precedutionary statements:       Very toxic to aquatic life.         P400       Very toxic to aquatic life.         Prevention:       P273         P273       Avoid release to the environment.         Response:       P391         P393       Collect spillage.	P303+P361+P353 P304+P340	IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skir IF INHALED: remove person to fresh air and keep comfortable for breathing. IF IN EYES: rinse cautiously with water for several minutes. Remove contact le	
P363       Wash contaminated clothing before reuse.         P403-P233       Store in a well-ventilated place. Keep container tightly closed.         P405       Store locked up.         P501       Dispose of contents / container to an approved waste disposal plant.         2.2. Other hazards.       Environmental classification as for Reg. (EU) 1272/2008 (CLP):         The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).         Classification and Hazard       Sterment.         Hazardous to the aquatic environment, acute toxicity, category 1       Very toxic to aquatic life.         Very toxic to aquatic life.       Very toxic to aquatic life.         Precautionary statements:       Very toxic to aquatic life.         Prevention:       Avoid release to the environment.         P2891       Avoid release to the environment.         Passerie:       Store in a spine set in the intervention set in the intervention:         Prevention:       Store in a quatic life.         Prevention:       Avoid release to the environment.         Passerie:       Store in a quatic life.         Prevention:       Store in a quatic life.         Passerie:       Store in a quatic life.         Passerie:       Store in a quatic life.         Passerie:       Store prevention:	P310	Immediately call a POISON CENTER / doctor.	
Storage: Tree in a well-ventilated place. Keep container tightly closed.   P403-P403 Store in a well-ventilated place. Keep container tightly closed.   Storage: Store in a well-ventilated place. Keep container tightly closed.   P501 Disposed of contents / container to an approved waste disposal plant.   2.2. Other hazards. Environmental classification as for Reg. (EU) 1272/2008 (CLP):   The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).   Classification and Hazard Statement.   Hazardous to the aquatic environment, acute toxicity, category 1   Very toxic to aquatic life.   Signal words:   Warning   H400   Very toxic to aquatic life.   Prevention:   P73   P73   Noid release to the environment.   Collect spillage.   Storage:   Storage:   Storage:			
P403-P233 Store in a well-ventilated place. Keep container tightly closed. Store locked up.         P501       Dispose of contents / container to an approved waste disposal plant.         2.2. Other hazards.       Environmental classification as for Reg. (EU) 1272/2008 (CLP):         The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).         Classification and Hazard Statement. Hazardous to the aquatic to the invironment, acute toxicity, category 1       Very toxic to aquatic life.         Signal words:       Warning         H400       Very toxic to aquatic life.         Precationary statements: Provention: P373       Avoid release to the environment. Collect spillage.         P405       Very toxic to aquatic life.         P391       Collect spillage.         Storage: Storage:       Store locked up.	_	Wash contaminated clothing before reuse.	
P405       Store locked up.         Disposal:       Dispose of contents / container to an approved waste disposal plant.         P501       Dispose of contents / container to an approved waste disposal plant.         2.2. Other hazards.       Environmental classification as for Reg. (EU) 1272/2008 (CLP):         The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).         Classification and Hazard Statement.         Hazardous to the aquatic environment, acute toxicity, category 1       Very toxic to aquatic life.         Very toxic to aquatic life.         Pacard statements:       H400         H400       Very toxic to aquatic life.         Precautionary statements:       Precautionary statements.         P273       Avoid release to the environment.         Paspel       Collect spillage.         Storage:       Storage:		Otomo in a scall constitute distance (Know constations of the state of	
Disposel:       P501       Dispose of contents / container to an approved waste disposal plant.         2.2. Other hazards.       Environmental classifications as for Reg. (EU) 1272/2008 (CLP):         The product is classified as bazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).         Classification and Hazard Statement.       Very toxic to aquatic life.         Hazardous to the aquatic wironment, acute toxicity, category 1       Very toxic to aquatic life.         Signal words:       Warning         Hator       Very toxic to aquatic life.         Protecutionary statements:       Very toxic to aquatic life.         Protecutionary statements:       Avoid release to the environment.         Payse       Avoid release to the environment.         Payse:       Collect spillage.         Byoali:       Storage:			
P50       Dispose of contentis / container to an approved waste disposal plant.         2.2. Other hazards.       Environmental classification as for Reg. (EU) 1272/2008 (CLP):         The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).         Classification and Hazard Statement.       Very toxic to aquatic life.         Signal words:       Warning         H400       Very toxic to aquatic life.         Prevention:       Very toxic to aquatic life.         Prevention:       Avoid release to the environment.         P391       Avoid release to the environment.         Respond:       Very toxic to aquatic life.         Parameter:       Very toxic to aquatic life.         Paramet		Store locked up.	
1.2. Other hazards.   Environmental classification as for Reg. (EU) 1272/2008 (CLP):   The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).   Classification and Hazard Statement.   Hazardous to the aquatic environment, acute toxicity, category 1   Very toxic to aquatic life.   Signal words:   Warning   Hazard statements:   H400   Very toxic to aquatic life.   Precautionary statements:   Prevention:   Prevention:   P273   Avoid release to the environment.   Response:   P391   Collect spillage.   Korage:		Dispose of contents / container to an approved waste disposal plant	
Hazardous to the aquatic environment, acute toxicity, category 1 Very toxic to aquatic life.   Signal words:   Warning   Hazard statements:   H400   Very toxic to aquatic life.   recautionary statements:   P273   Avoid release to the environment.   esponse:   P391   Collect spillage.	nvironmental classificati	on as for Reg. (EU) 1272/2008 (CLP):	
Hazard statements:       Very toxic to aquatic life.         Precautionary statements:       Very toxic to aquatic life.         Prevention:       Very toxic release to the environment.         P273       Avoid release to the environment.         Response:       Very toxic to aquatic life.         P391       Collect spillage.         Storage:       Very toxic to aquatic life.         Passal:       Very toxic to aquatic life.	The product is classified a	as hazardous for environment pursuant to the provisions set forth in EC Regulation	n 1272/2008 (CLP).
H400     Very toxic to aquatic life.       Precautionary statements:     Prevention:       P273     Avoid release to the environment.       Response:     P391       P391     Collect spillage.       Storage:     -       -     -	Classification and Hazard	Statement.	n 1272/2008 (CLP).
H400     Very toxic to aquatic life.       Precautionary statements:     Prevention:       P273     Avoid release to the environment.       Response:     P391       P391     Collect spillage.       Storage:     -       -     -	Classification and Hazard Hazardous to the aquat	Statement. ic environment, acute toxicity, category 1 Very toxic to aquatic life.	n 1272/2008 (CLP).
Prevention: P273 Avoid release to the environment. Response: P391 Collect spillage. - Storage: - Disposal:	Classification and Hazard Hazardous to the aquat	Statement. ic environment, acute toxicity, category 1 Very toxic to aquatic life.	n 1272/2008 (CLP).
P273       Avoid release to the environment.         Response:       P391         P391       Collect spillage.         Storage:       -         Disposal:       -	Classification and Hazard Hazardous to the aquat Classification and Hazard Signal words: Hazard statements:	Statement. ic environment, acute toxicity, category 1 Very toxic to aquatic life. Warning	n 1272/2008 (CLP).
P273       Avoid release to the environment.         Response:       P391         P391       Collect spillage.         Storage:       -         Disposal:       -	Classification and Hazard Hazardous to the aquat Classification and Hazard Signal words: Hazard statements: H400	Statement. ic environment, acute toxicity, category 1 Very toxic to aquatic life. Warning Very toxic to aquatic life.	n 1272/2008 (CLP).
Response: P391 Collect spillage. - Storage: - Disposal:	Classification and Hazard Hazardous to the aquati Classification and Hazard Signal words: Hazard statements: H400 Precautionary statements	Statement. ic environment, acute toxicity, category 1 Very toxic to aquatic life. Warning Very toxic to aquatic life.	n 1272/2008 (CLP).
P391 Collect spillage. 	Classification and Hazard Hazardous to the aquati Eventional data and the aquatic Signal words: Hazard statements: H400 Precautionary statements Prevention:	Statement.       Very toxic to aquatic life.         Warning       Very toxic to aquatic life.         ::	n 1272/2008 (CLP).
itorage: Disposal:	Classification and Hazard Hazardous to the aquati Electronic for the aquatic Signal words: Hazard statements: H400 Precautionary statements Prevention: P273	Statement.       Very toxic to aquatic life.         Warning       Very toxic to aquatic life.         ::	n 1272/2008 (CLP).
- Disposal:	Classification and Hazard Hazardous to the aquati Electronic terms Signal words: Hazard statements: H400 Precautionary statements Prevention: P273 Response:	Statement.   ic environment, acute toxicity, category 1   Very toxic to aquatic life. Very toxic to aquatic life. Avoid release to the environment.	n 1272/2008 (CLP).
	Classification and Hazard Hazardous to the aquation in the aquation is the aqu	Statement.   ic environment, acute toxicity, category 1   Very toxic to aquatic life. Very toxic to aquatic life. Avoid release to the environment.	n 1272/2008 (CLP).
Dispose of contents / container to	Classification and Hazard Hazardous to the aquati Electronic definition Signal words: Hazard statements: H400 Precautionary statements Prevention: P273 Response: P391 Storage:	Statement.   ic environment, acute toxicity, category 1   Very toxic to aquatic life. Very toxic to aquatic life. Avoid release to the environment.	n 1272/2008 (CLP).
	Classification and Hazard Hazardous to the aquati Azardous to the aquati Signal words: Hazard statements: H400 Precautionary statements Prevention: P273 Response: P391 Storage: Disposal:	Statement.   ic environment, acute toxicity, category 1   Very toxic to aquatic life. Very toxic to aquatic life. Avoid release to the environment. Collect spillage.	n 1272/2008 (CLP).
	Classification and Hazard Hazardous to the aquati Signal words: Hazard statements: H400 Precautionary statements Prevention: P273 Response: P391 	Statement.   ic environment, acute toxicity, category 1   Very toxic to aquatic life. Very toxic to aquatic life. Avoid release to the environment. Collect spillage.	n 1272/2008 (CLP).

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 2/7/2015
A0066 - Ammonium Hydroxide 28%	Printed on 7/10/2015
	Page n. 3/13

Additional hazards.

### **SECTION 3. Composition/information on ingredients.**

### 3.1. Substances.

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Identification.	Conc. %.	Classification:
AMMONIA		
CAS. 1336-21-6	100	Skin corrosion, category 1B H314, Specific target organ toxicity - single exposure, category 3 H335, Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=1
3.2. Mixtures.		

3.2. Mixtures.

Information not relevant.

### **SECTION 4. First aid measures.**

#### 4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

### 4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

## **SECTION 5. Firefighting measures.**

5.1. Extinguishing media.

Revision nr. 1

## A0066 - Ammonium Hydroxide 28%

Dated 2/7/2015

Printed on 7/10/2015 Page n. 4/13

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

### 5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

### 5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6.** Accidental release measures.

### 6.1. Personal precautions, protective equipment and emergency procedures.

### Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

# SECTION 7. Handling and storage.

Revision nr. 1

## A0066 - Ammonium Hydroxide 28%

Dated 2/7/2015 Printed on 7/10/2015

Page n. 5/13

### 7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s).

Information not available.

### **SECTION 8. Exposure controls/personal protection.**

### 8.1. Control parameters.

Regulatory References:

TLV-ACGIH ACGIH 2014

#### AMMONIA Threshold Limit

Threshold Limit Value. Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH	-	17	25	24	35

### 8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must comply with current regulations.

### HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

### EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear

Revision nr. 1

# A0066 - Ammonium Hydroxide 28%

Dated 2/7/2015 Printed on 7/10/2015

Page n. 6/13

open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84 and OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

### **SECTION 9.** Physical and chemical properties.

### 9.1. Information on basic physical and chemical properties.

Appearance Colour Odour Odour threshold. pH. Melting point / freezing point. Initial boiling point. Boiling range. Flash point. Evaporation Rate Flammability of solids and gases Lower inflammability limit. Upper inflammability limit. Upper explosive limit. Upper explosive limit. Vapour pressure. Vapour density Relative density. Solubility Partition coefficient: n-octanol/water Auto-ignition temperature. Decomposition temperature. Viscosity Explosive properties Oxidising properties	Not available. Not available.
---	--

### 9.2. Other information.

Information not available.

## **SECTION 10. Stability and reactivity.**

### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

AMMONIA: corrodes aluminium, iron, zinc, copper and their alloys.

### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

Revision nr. 1

## A0066 - Ammonium Hydroxide 28%

Dated 2/7/2015

Printed on 7/10/2015 Page n. 7/13

### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

AMMONIA: risk of explosion on contact with strong acids and iodine. Can react dangerously with strong bases .

### 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials.

AMMONIA: silver, lead, zinc and their salts; hydrochloric acid, nitric acid, oleum, halogens, acrolein, nitromethane and acrylic acid.

## 10.6. Hazardous decomposition products.

AMMONIA: nitric oxides.

# **SECTION 11. Toxicological information.**

### 11.1. Information on toxicological effects.

This product is corrosive and causes serious burns and vesicles on the skin, which can arise even after exposure. Burns are very stinging and painful. Upon contact with eyes, it may cause serious harm, such as cornea opacity, iris lesions, irreversible eye coloration. The vapors and/or powders are caustic for the respiratory system and may cause pulmonary edema, whose symptoms sometimes arise only after some hours. Exposure symptoms may include: sting, cough, asthma, laryngitis, respiratory disorders, headache, nausea and sickness.

If swallowed, it may cause mouth, throat and oesophagus burns, sickness, diarrhoea, edema, larynx swelling and, consequently, asphyxia. Perforation of the gastro-intestinal tract is also possible.

This product may cause serious ocular lesions, cornea opacity, iris lesions, irreversible eye coloration.

Acute effects: inhalation of this product may irritate the lower and upper respiratory tract and cause cough and respiratory disorders; at higher concentrations it can also cause pulmonary edema. Ingestion may cause health problems, including stomach pain and sting, nausea and sickness.

AMMONIA LD50 (Oral).350 mg/kg Rat

# **SECTION 12. Ecological information.**

This product is dangerous for the environment and highly toxic for aquatic organisms. **12.1. Toxicity.** 

AMMONIA LC50 - for Fish.

EC50 - for Crustacea.

47 mg/l/96h Channa punctata 20 mg/l/48h Daphnia magna

12.2. Persistence and degradability.

AMMONIA

EXAXOL CHEMICAL CORPORATION	Revision nr. 1 Dated 2/7/2015
A0066 - Ammonium Hydroxide 28%	Printed on 7/10/2015 Page n. 8/13

Biodegradability: Information not available.

### 12.3. Bioaccumulative potential.

Information not available.

### 12.4. Mobility in soil.

Information not available.

### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects.

Information not available.

### **SECTION 13. Disposal considerations.**

### 13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to dangerous goods transport regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information.**

#### 14.1. UN number.

ADR / RID, IMDG, UN: 2672 IATA:

### 14.2. UN proper shipping name.

ADR / RID:	AMMONIA
IMDG:	SOLUTION AMMONIA
IATA:	SOLUTION

### 14.3. Transport hazard class(es).

ADR / RID:

Class: 8

Label: 8



	EXAX	OL CHEMICAL CORPORATI		n nr. 1 2/7/2015
A0066 - Ammonium Hydroxide 28%			B%	on 7/10/2015
		•	Page n.	9/13
IMDG:	Class: 8	Label: 8		
IATA:	Class: 8	Label: 8		
4.4. Packing gro	up.		•	
ADR / RID, IMDO IATA:	3,	III		
4.5. Environmen	tal hazards.			
ADR / RID:	NO			
4.6. Special prec	autions for user.			
ADR / RID:		Nr. Kemler: 80	Limited Quantity 5 L	Tunnel restriction code (E)
		Special Provision: -		
IMDG:		EMS: F-A, S-B	Limited	
IATA:		Cargo:	Quantity 5 L Maximum quantity: 60 L	Packaging instructions: 856
		Pass.:	Maximum quantity: 5 L	Packaging instructions: 852
		Special Instructions:	A64, A803	002

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

# **SECTION 15.** Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

U.S. Federal Regulations.

TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 2/7/2015
A0066 - Ammonium Hydroxide 28%	Printed on 7/10/2015
	Page n. 10/13

No component(s) listed.

<u>Clean Water Act –</u> Priority Pollutants: No component(s) listed. <u>Clean Water Act –</u> Toxic Pollutants: No component(s) listed. DEA List I Chemicals (Precursor Chemicals): No component(s) listed. DEA List II Chemicals (Essential Chemicals): No component(s) listed. EPA List of Lists: 313 Category Code: AMMONIA 1336-21-6 EPCRA 302 EHS TPQ: No component(s) listed. EPCRA 304 EHS RQ: No component(s) listed. CERCLA RQ: 1336-21-6 AMMONIA EPCRA 313 TRI: 1336-21-6 AMMONIA RCRA Code: No component(s) listed. CAA 112 (r) RMP TQ: No component(s) listed. State Regulations. Massachussetts: 1336-21-6 AMMONIA

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 2/7/2015
A0066 - Ammonium Hydroxide 28%	Printed on 7/10/2015
	Page n. 11/13

AMMONIA

### Minnesota:

No component(s) listed.

New Jersey:

1336-21-6 New York:	AMMONIA
1336-21-6 Pennsylvania:	AMMONIA
1336-21-6	AMMONIA

California:

1336-21-6

Proposition 65:

International Regulations.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Candadian WHMIS.

Information not available.

## **SECTION 16. Other information.**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Skin Corr. 1B	Skin corrosion, category 1B		
Skin Corr. 1C	Skin corrosion, category 1C		
Eye Dam. 1	Serious eye damage, category 1		
Eye Irrit. 2	Eye irritation, category 2		
Skin Irrit. 2	Skin irritation, category 2		
STOT SE 3	Specific target organ toxicity - single exposure, category 3		
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1		
H314	Causes severe skin burns and eye damage.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H315	Causes skin irritation.		

	EXAXOL CHEMICAL CORPORATION	Revision nr. 1
		Dated 2/7/2015
	A0066 - Ammonium Hydroxide 28%	Printed on 7/10/2015 Page n. 12/13
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
EGEND:		
-	CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code	
	Agreement concerning the carriage of Dangerous goods by Road	
	PTQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)	
	Chemical Abstract Service Number	
	concentration (required to induce a 50% effect) eportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)	
CLP: EC Regula		
	rcement Administration	
EmS: Emergenc		
	nmental Protection Agency	
EPCRA: Emerge	ency Planning and Community Right-to Know Act S TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category C	(ada)
	S RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)	Joue)
	: Toxics Release Inventory (Section 313 Category Code)	
GHS: Globally H	larmonized System of classification and labeling of chemicals	
	national Air Transport Association Dangerous Goods Regulation	
	ation Concentration 50%	
	nal Maritime Code for dangerous goods al Maritime Organization	
	ncentration 50%	
LD50: Lethal dos		
	nal Exposure Level	
PEL: Predicted e		
	source Conservation and Recovery Act Code	
	nded exposure limit concerning the international transport of dangerous goods by train	
TLV: Threshold		
	Concentration that should not be exceeded during any time of occupational exposure.	
	bstances Control Act	
	rt-term exposure limit	
	hted average exposure limit	
	ganic Compounds ace Hazardous Materials Information System.	
SENERAL BIBLIC	DGRAPHY:	
GHS rev. 3 The Merck Inde>	( 10th Edition	
Handling Chemi		
	of Toxic Effects of Chemical Substances	
	xicologique (toxicological sheet)	
	Hygiene and Toxicology	
N.I. Sax - Dange ECHA website	erous properties of Industrial Materials-7, 1989 Edition	
5 NYCRR part 5	97	
Cal/OSHA webs		
California Safe E	Drinking Water and Toxic Enforcement Act	
EPA website		
	cation Standard (HCS 2012)	
ARC website	A: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean	Air Act
	105 CMR Department of public health 670.000: "Right to Know"	
	ter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know"	"
	ker and Community Right to know Act N.J.S.A.	
	ort on Carcinogens, 12th Edition.	
OSHA website	azardaya Sylastanca Liet. Chapter 223	
Pennsylvania, H ote for users:	azardous Substance List, Chapter 323	
	contained in the present sheet are based on our own knowledge on the date of the last vers	ion. Users must verify the suitability an
	provided information according to each specific use of the product.	
his document m	ust not be regarded as a guarantee on any specific product property.	
	oduct is not subject to our direct control; therefore, users must, under their own responsibility,	comply with the current health and safet
ws and regulation	ons. The producer is relieved from any liability arising from improper uses.	

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 2/7/2015
A0066 - Ammonium Hydroxide 28%	Printed on 7/10/2015
	Page n. 13/13

Provide appointed staff with adequate training on how to use chemical products.