F2203 - Fehling Solution A, Copper

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019

Page n. 1/14

# Safety Data Sheet According to U.S.A. Federal Hazcom 2012

## 1. Identification

1.1. Product identifier

Code: F2203

Product name Fehling Solution A, Copper

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use For laboratory use only.

1.3. Details of the supplier of the safety data sheet

**EXAXOL CHEMICAL CORPORATION** 

Full address 14325 60 TH ST N

District and Country 33760 CLEARWATER - FLORIDA

Tel. 1-727-524-7732 Fax 1-727-532-8221

e-mail address

info@exaxol.com

1.4. Emergency telephone number

1-800-255-3924 For urgent inquiries refer to ChemTel Inc.

## 2. Hazards identification

## 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement

Hazard pictograms:

Serious eye damage, category 1

Causes serious eye damage.



Signal words: Danger

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019

Page n. 2/14

## F2203 - Fehling Solution A, Copper

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

Prevention:

P280 Wear eye protection / face protection.

Response:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P310 Immediately call a POISON CENTER / doctor.

Storage:

Disposal:

#### 2.2. Other hazards

Environmental classification as for Reg. (EU) 1272/2008 (CLP):

The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

Classification and Hazard Statement

Hazardous to the aquatic environment, acute toxicity, category 1 Very toxic to aquatic life.

Hazardous to the aquatic environment, chronic toxicity, category 1 Very toxic to aquatic life with long lasting effects.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410

Precautionary statements:

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Storage:

Disposal:

P501 Dispose of contents / container to an approved waste disposal plant.

Additional hazards

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019

Page n. 3/14

F2203 - Fehling Solution A, Copper

Information not available

## 3. Composition/information on ingredients

#### 3.2. Mixtures

Contains:

Identification Conc. % Classification: WATER

CAS 7732-18-5 93

EC 231-791-2

INDEX -

**COPPER(II) SULFATE** 

CAS 7758-99-8 7 Acute toxicity, category 4 H302, Serious eye damage, category 1 H318,

Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=10,

Hazardous to the aquatic environment, chronic toxicity, category 1 H410

M-10

EC 231-847-6 INDEX 029-004-00-0

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### 4. First-aid measures

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## 5. Fire-fighting measures

## 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

### 5.2. Special hazards arising from the substance or mixture

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019

Page n. 4/14

## F2203 - Fehling Solution A, Copper

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## 7. Handling and storage

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

## 8. Exposure controls/personal protection

F2203 - Fehling Solution A, Copper

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019

Page n. 5/14

## 8.1. Control parameters

Information not available

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

#### HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance liquid Not available Colour Odour Not available Odour threshold Not available Not available Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available > 93 °C Flash point Evaporation Rate Not available Flammability of solids and gases Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Vapour pressure Not available Vapour density Not available Relative density 1.04

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019
Page n. 6/14

## F2203 - Fehling Solution A, Copper

Solubility

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

Explosive properties

Oxidising properties

Not available
Not available
Not available
Not available
Not available

#### 9.2. Other information

Information not available

## 10. Stability and reactivity

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

COPPER(II) SULFATE

The aqueous solutions act as: weak acids.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

COPPER(II) SULFATE

May react dangerously with: strong oxidising agents, magnesium powder, hydroxylamine.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

COPPER(II) SULFATE

May develop: sulphur oxides.

## 11. Toxicological information

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019

Page n. 7/14

## F2203 - Fehling Solution A, Copper

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

**ACUTE TOXICITY** 

COPPER(II) SULFATE

LD50 (Oral) 481 mg/kg Rat

LD50 (Dermal) > 2000 mg/kg

## SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

## RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019

Page n. 8/14

## F2203 - Fehling Solution A, Copper

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, and OSHA.

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### **ASPIRATION HAZARD**

Does not meet the classification criteria for this hazard class

## 12. Ecological information

This product is dangerous for the environment and highly toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment. 12.1. Toxicity

#### COPPER(II) SULFATE

LC50 - for Fish 0,032 mg/l/96h Pimephales promelas

EC50 - for Crustacea 0,18 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 0,003 mg/l/72h Pseudokirchneriella subcapitata

Chronic NOEC for Crustacea 0,029 mg/l Ceriodaphnia dubia

## 12.2. Persistence and degradability

COPPER(II) SULFATE

Solubility in water 220 mg/l

NOT rapidly degradable

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

F2203 - Fehling Solution A, Copper

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019

Page n. 9/14

#### 12.6. Other adverse effects

Information not available

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## 14. Transport information

#### 14.1. UN number

ADR / RID, IMDG,

3082

IATA:

IMDG:

IATA:

ADR / RID: In accordance

with Special Provision 375, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to ADR

provisions. In accordance

In accordance with Section 2.10.2.7 of IMDG

Code, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to IMDG Code

IMDG Code provisions. In accordance with SP A197,

this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to IATA

submitted to IATA dangerous goods regulations.

## 14.2. UN proper shipping name

ADR / RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER(II) SULFATE)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER(II) SULFATE)

IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER(II) SULFATE)

Revision nr. 1 Dated 8/21/2019

First compilation

Printed on 8/23/2019

## Page n. 10/14

## F2203 - Fehling Solution A, Copper

## 14.3. Transport hazard class(es)

ADR / RID: Class: 9 Label: 9

IMDG: Class: 9 Label: 9

IATA: Class: 9 Label: 9



## 14.4. Packing group

ADR / RID, IMDG, Ш

IATA:

IATA:

#### 14.5. Environmental hazards

ADR / RID: Environmentally

Hazardous

IMDG: Marine Pollutant

IATA: Environmentally

Hazardous



#### 14.6. Special precautions for user

ADR / RID: HIN - Kemler: 90 Limited Tunnel Quantities: 5 restriction code: (-)

Special Provision: -

Cargo:

IMDG: EMS: F-A, S-F Limited Quantities: 5

quantity: 450

Pass.: Maximum

quantity: 450

Special Instructions: A97, A158,

A197

Maximum

Packaging instructions:

Packaging

instructions:

964

964

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

## 15. Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## U.S. Federal Regulations



Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019
Page n. 11/14

## F2203 - Fehling Solution A, Copper

Clean Air Act Section 112(b): No component(s) listed. Clean Air Act Section 602 Class I Substances: No component(s) listed. Clean Air Act Section 602 Class II Substances: No component(s) listed. Clean Water Act -Priority Pollutants: No component(s) listed. Clean Water Act -Toxic Pollutants: 7758-99-8 COPPER(II) SULFATE (Copper compounds) DEA List I Chemicals (Precursor Chemicals): No component(s) listed. DEA List II Chemicals (Essential Chemicals): No component(s) listed. EPA List of Lists: 313 Category Code: COPPER(II) SULFATE (Copper 7758-99-8 compounds) EPCRA 302 EHS TPQ: No component(s) listed. EPCRA 304 EHS RQ: No component(s) listed. CERCLA RQ: No component(s) listed. EPCRA 313 TRI: 7758-99-8 COPPER(II) SULFATE (Copper compounds)

RCRA Code:

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019

Page n. 12/14

	· ·	
No component(s) listed.		
CAA 112 (r) RMP TQ:		
No component(s) listed.		
State Regulations		
Massachussetts:		
No component(s) listed.		
Minnesota:		
No component(s) listed.		
New Jersey:		
7758-99-8	COPPER(II) SULFATE (Copper compounds)	
New York:	oompounds)	
No component(s) listed.		
Pennsylvania:		
7758-99-8	COPPER(II) SULFATE (Copper compounds)	
California:		
7758-99-8	COPPER(II) SULFATE (Copper compounds)	
Proposition 65:		
International Regulations		
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:		
None		
Substances subject to the Rotterdam Convention:		
None		
Substances subject to the Stockholm Convention:		
None		
Candadian WHMIS		
Information not available		
16. Other information		

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Revision nr. 1

Dated 8/21/2019

First compilation

Printed on 8/23/2019

Page n. 13/14

## F2203 - Fehling Solution A, Copper

H302 Harmful if swallowed

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

### GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 8/21/2019
	First compilation
F2203 - Fehling Solution A, Copper	Printed on 8/23/2019
	Page n. 14/14
	I
- OSHA website	
- Pennsylvania, Hazardous Substance List, Chapter 323	
Note for users:	
The information contained in the present sheet are based on our own knowledge on the date of the last version.	Users must verify the suitability and
thoroughness of provided information according to each specific use of the product.	
This document must not be regarded as a guarantee on any specific product property.	ally with the augment health and actaty
The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, com laws and regulations. The producer is relieved from any liability arising from improper uses.	ply with the current health and safety
Provide appointed staff with adequate training on how to use chemical products.	