EXAXOL C	HEMICAL CORPORATION	Revision nr. 1 Dated 26/8/2015
P6224 - Potassium Chromate 5% w/v		Printed on 3/23/2016
		Page n. 1/12
Safety data she	et according to U.S.A. Fede	eral Hazcom 2012
SECTION 1. Identification of th	e substance/mixture and of the compa	ny/undertaking
1.1. Product identifier		
Code: Product name	P6224 Potassium Chromate 5% w/v	
FIGUUCI Hame	Polassium Chromate 5% W/V	
1.2. Relevant identified uses of the substate Intended use For Laborator		
1.3. Details of the supplier of the safety da	nta sheet	
Name	EXAXOL CHEMICAL CORPORATION	
Full address	14325 60 TH ST N 33760 CLEARWATER - FLORIDA	
District and Country	US	
	Tel. 1-727-524-7732	
	Fax 1-727-532-8221	
e-mail address		
	info@exaxol.com	
1.4. Emergency telephone number	4 000 055 0004	
For urgent inquiries refer to	1-800-255-3924 ChemTel Inc.	
SECTION 2. Hazards identifica	tion.	
2.1. Classification of the substance or mix	ture.	
roduct thus requires a safety datasheet.	Int to the provisions set forth in OSHA Hazard Communities for health and/or the environment are given in sections f	
lassification and Hazard Statement.		
Carcinogenicity, category 1B	May cause cancer.	fa - 1-
Germ cell mutagenicity, category 1B Acute toxicity, category 4	May cause genetic de Harmful if swallowed.	IECIS.
Skin sensitization, category 1	May cause an allergic	skin reaction



Hazard statements:

Signal words:

H350

May cause cancer.

Danger

	EXAXOL CHEMICAL CORPORATION	Revision nr. 1 Dated 26/8/2015
	P6224 - Potassium Chromate 5% w/v	Printed on 3/23/2016 Page n. 2/12
H340	May cause genetic defects.	
H302 H317	Harmful if swallowed. May cause an allergic skin reaction.	
Precautionary statem	ents:	
Prevention:		
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P261	Avoid breathing dust / fume / gas / mist / vapours / spray.	
P264	Wash skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P280	Wear protective gloves / protective clothing / eye protection / face protection.	
Response:		
P301+P312	IF SWALLOWED: call a POISON CENTER / doctor if you feel unwell.	
P302+P352	IF ON SKIN: wash with plenty of water.	
P308+P313	IF exposed or concerned: get medical advice.	
P321	Specific treatment (see label).	
P330	Rinse mouth.	
P333+P313	If skin irritation or rash occurs: get medical advice.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
Storage:	rake on containinated oldrining and wach it before reduce.	
P405	Store looked up	
	Store locked up.	
Disposal: P501	Dispose of contents / container to an approved waste disposal plant.	
Classification and Ha	ed as hazardous for environment pursuant to the provisions set forth in EC Regulation zard Statement. quatic environment, chronic toxicity, category 2 Toxic to aquatic life with lor	
lazard statements:		
H411	Toxic to aquatic life with long lasting effects.	
Precautionary statem	ents:	
Prevention:		
P273	Avoid release to the environment.	
Response:	-	
P391	Collect spillage.	
 Storage:		
Disposal:		
P501	Dispose of contents / container to an approved waste disposal plant.	
-		
Additional hazards.		
aditional hazalus.		

	Devision of A
EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 26/8/2015
P6224 - Potassium Chromate 5% w/v	Printed on 3/23/2016
	Page n. 3/12
SECTION 3. Composition/information on ingredients.	
3.1. Substances.	

Information not relevant.

3.2. Mixtures.

Contains:

Identification. WATER	Conc. %.	Classification:
CAS. 7732-18-5	50 - 100	
Potassium Chromate		
CAS. 7789-00-6	5-9	Carcinogenicity, category 1B H350, Germ cell mutagenicity, category 1B H340, Acute toxicity, category 3 H301, Eye irritation, category 2 H319, Skin irritation, category 2 H315, Specific target organ toxicity - single exposure, category 3 H335, Skin sensitization, category 1 H317, Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=1, Hazardous to the aquatic environment, chronic toxicity, category 1 H410

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 26/8/2015
P6224 - Potassium Chromate 5% w/v	Printed on 3/23/2016
	Page n. 4/12
SECTION 5. Firefighting measures.	
5.1. Extinguishing media.	
SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water s INSUITABLE EXTINGUISHING EQUIPMENT	spray.
lone in particular.	
5.2. Special hazards arising from the substance or mixture.	
AZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE to not breathe combustion products.	
5.3. Advice for firefighters.	
SENERAL INFORMATION	

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

Revision nr. 1

P6224 - Potassium Chromate 5% w/v

Dated 26/8/2015 Printed on 3/23/2016

Page n. 5/12

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must comply with current regulations.

Provide an emergency shower with face and eye wash station.

The product must be used inside a closed circuit, in a well-ventilated environment and with strong localised aspiration systems in place.

HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified

Revision nr. 1

P6224 - Potassium Chromate 5% w/v

Dated 26/8/2015 Printed on 3/23/2016

Page n. 6/12

filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84 and OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance Colour Odour Odour threshold. pH. Melting point / freezing point. Initial boiling point. Boiling range. Flash point. Evaporation Rate Flammability of solids and gases Lower inflammability limit. Upper inflammability limit. Upper explosive limit. Upper explosive limit. Upper explosive limit. Vapour pressure. Vapour density Relative density. Solubility Partition coefficient: n-octanol/water Auto-ignition temperature. Decomposition temperature. Viscosity Explosive properties Oxidising properties	Not available. Not available.
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

9.2. Other information.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

Revision nr. 1

P6224 - Potassium Chromate 5% w/v

Dated 26/8/2015 Printed on 3/23/2016

Page n. 7/12

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

This product should be considered carcinogenic for human beings. Currently available data suggest that human exposure to the substance contained in this product may give rise to cancer development.

This product may have a mutagenic effect on human beings. Currently available data may suggest that human exposure to the substance contained in this product may give rise to the development of hereditary gene alterations.

Acute effects: ingestion of this product is harmful. Even small amounts of product may cause serious health problems (stomach pain, nausea, sickness, diarrhoea).

Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas, edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase. Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase.

SECTION 12. Ecological information.

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment. **12.1. Toxicity.**

Information not available.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

P6224 - Potassium Chromate 5% w/v

Dated 26/8/2015

Revision nr. 1

Printed on 3/23/2016 Page n. 8/12

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

U.S. Federal Regulations.

<u>TSCA:</u>

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

Clean Water Act – Priority Pollutants:

EXAXOL CHEMICAL CORPORATION	Dated 26/8/2015
P6224 - Potassium Chromate 5% w/v	Printed on 3/23/2016
F0224 - F0ldSSluin Chromate 5% w/v	Page n. 9/12
No component(s) listed.	
<u>Clean Water Act –</u> <u>Toxic Pollutants:</u>	
No component(s) listed.	
DEA List I Chemicals (Precursor Chemicals):	
No component(s) listed.	
DEA List II Chemicals (Essential Chemicals):	
No component(s) listed.	
EPA List of Lists:	
313 Category Code:	
7789-00-6 Potassium Chromate EPCRA 302 EHS TPQ:	
No component(s) listed.	
EPCRA 304 EHS RQ:	
No component(s) listed.	
CERCLA RQ:	
7789-00-6 Potassium Chromate EPCRA 313 TRI:	
7789-00-6 Potassium Chromate RCRA Code:	
No component(s) listed.	
CAA 112 (r) RMP TQ:	
No component(s) listed.	
State Regulations.	
Massachussetts:	
7789-00-6 Potassium Chromate	
Minnesota:	
No component(s) listed.	

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 26/8/2015
P6224 - Potassium Chromate 5% w/v	Printed on 3/23/2016
	Page n. 10/12

7789-00-6	Potassium Chromate
New York:	
7789-00-6	Potassium Chromate
Pennsylvania:	
7789-00-6	Potassium Chromate
California:	
7789-00-6	Potassium Chromate
Proposition 65:	
International Regulations.	
Substances subject to exportation reporting pursuant to (EC	2) Reg. 649/2012:
None.	
Substances subject to the Rotterdam Convention:	
None.	
Substances subject to the Stockholm Convention:	
None.	
Candadian WHMIS.	
Information not available.	

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Carc. 1B	Carcinogenicity, category 1B
Muta. 1B	Germ cell mutagenicity, category 1B
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
Aquatic Chronic 4	Hazardous to the aquatic environment, chronic toxicity, category 4
H350	May cause cancer.
H340	May cause genetic defects.

P6224 - Potassium Chromate 5% w/v

Revision nr. 1

Dated 26/8/2015

Printed on 3/23/2016 Page n. 11/12

	H301	Toxic if swallowed.
	H302	Harmful if swallowed.
	H319	Causes serious eye irritation.
	H315	Causes skin irritation.
	H335	May cause respiratory irritation.
	H317	May cause an allergic skin reaction.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	H411	Toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.
	H413	May cause long lasting harmful effects to aquatic life.

Revision nr. 1 Dated 26/8/2015

P6224 - Potassium Chromate 5% w/v

Printed on 3/23/2016

Page n. 12/12

List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act

- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"

- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".

- New Jersey Worker and Community Right to know Act N.J.S.A.

- NTP. 2011. Report on Carcinogens, 12th Edition.

- OSHA website

- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.