EXAXOL CHEMICAL CORPORATION		Revision nr. 1 Dated 3/11/2015		
P62363 - Potassium Fluoride 20% w/v		Printed on 11/3/2015 Page n. 1/10		
Safety data sheet according to U.S.A. Federal Hazcom 2012 SECTION 1. Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier Code: Product name	P62363 Potassium Fluoride 20% w/v			
1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use For Laboratory Use Only.				
1.3. Details of the supplier of the safety data shee Name Full address District and Country	EXAXOL CHEMICAL CORPORATION 14325 60 TH ST N 33760 CLEARWATER - FLORIDA US Tel. 1-727-524-7732			
e-mail address	Fax 1-727-532-8221			
1.4. Emergency telephone number For urgent inquiries refer to	1-800-255-3924 ChemTel Inc.			
SECTION 2. Hazards identification.				
2.1. Classification of the substance or mixture.				
The product is classified as hazardous pursuant to the product thus requires a safety datasheet. Any additional information concerning the risks for heal				
Classification and Hazard Statement. Acute toxicity, category 4	Harmful if swallowed or if inh	aled.		
Signal words: Warning				
Hazard statements:				
H302+H332 Harmful if swallowed or if i	nhaled.			
Precautionary statements:				

	EXAXOL CHEMICAL CORPORATION	ORATION	Revision nr. 1	
				Dated 3/11/2015
	P62363 - Potassium	Fluorid	e 20% w/v	Printed on 11/3/2015
				Page n. 2/10
Prevention: P261 P264 P270 P271	Avoid breathing dust / fume / ga Wash skin thoroughly after hanc Do not eat, drink or smoke wher Use only outdoors or in a well-ve	lling. n using this p	product.	
Response:				
P301+P312	IF SWALLOWED: call a POISO			
P304+P340 P312	IF INHALED: remove person to Call a POISON CENTER / docto			
P312 P330	Rinse mouth.	of it you leef	unwen.	
Storage:				
Disposal:				
P501	Dispose of contents / container t	to an approv	ed waste disposal plant.	
2.2. Other hazards. The product is not classi	fied as hazardous for environment pu	ursuant to the	e provisions set forth in EC Regulation 12	72/2008 (CLP).
SECTION 3. Co	mposition/information on	n ingredi	ents.	
3.1. Substances.				
Information not relevant.				
3.2. Mixtures.				
Contains:				
Identification.	Con	ıc. %.	Classification:	
WATER				
CAS. 7732-18-5	50 -	100		
Potassium Fluoride				
CAS. 7789-23-3	9 - 3	30	Acute toxicity, category 3 H301, Acute toxicity, category 3 H311, Acute toxicity, category 3 H331	

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

Revision nr. 1

P62363 - Potassium Fluoride 20% w/v

Dated 3/11/2015

Printed on 11/3/2015 Page n. 3/10

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder

Revision nr. 1

Page n. 4/10

P62363 - Potassium Fluoride 20% w/v

Dated 3/11/2015

Printed on 11/3/2015

with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must comply with current regulations.

HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138). The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental

Revision nr. 1

P62363 - Potassium Fluoride 20% w/v

Dated 3/11/2015

Printed on 11/3/2015 Page n. 5/10

absorption.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84 and OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

9.2. Other information.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

P62363 - Potassium Fluoride 20% w/v

Revision nr. 1 Dated 3/11/2015

Printed on 11/3/2015

Page n. 6/10

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. Acute effects: inhalation and ingestion of this product are harmful. This product may irritate mucosas, the upper respiratory tract, eyes and skin. Exposure symptoms may include: stinging and irritated eyes, mouth, nose, throat; cough, respiratory disorders, dizziness, headache, nausea and sickness. In the most serious cases, inhalation of this product may cause larynx and bronchial tube edema and irritation, chemical pneumonia and pulmonary edema. Ingestion of even small amounts of this product may cause serious health disorders (stomach pain, nausea, sickness, diarrhoea).

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity. Information not available.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

P62363 - Potassium Fluoride 20% w/v

Revision nr. 1 Dated 3/11/2015

Printed on 11/3/2015

Page n. 7/10

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

UN 3422, Potassium fluoride solution, 6.1, PG III

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

U.S. Federal Regulations.

TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

<u>Clean Water Act –</u> Priority Pollutants:

EXAXOL CHEMICAL CORPORATION	Revision nr. 1 Dated 3/11/2015
P62363 - Potassium Fluoride 20% w/v	Printed on 11/3/2015 Page n. 8/10

No component(s) listed.

<u>Clean Water Act –</u> <u>Toxic Pollutants:</u>

No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):

No component(s) listed.

DEA List II Chemicals (Essential Chemicals):

No component(s) listed.

EPA List of Lists:

313 Category Code:

No component(s) listed.

EPCRA 302 EHS TPQ:

No component(s) listed.

EPCRA 304 EHS RQ:

No component(s) listed.

CERCLA RQ:

No component(s) listed.

EPCRA 313 TRI:

No component(s) listed.

RCRA Code:

No component(s) listed.

CAA 112 (r) RMP TQ:

No component(s) listed.

State Regulations.

Massachussetts:

No component(s) listed.

Minnesota:

No component(s) listed.

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 3/11/2015
P62363 - Potassium Fluoride 20% w/v	Printed on 11/3/2015
	Page n. 9/10

7789-23-3

Potassium Fluoride

New York:

No component(s) listed.

Pennsylvania:

No component(s) listed.

California:

No component(s) listed.

Proposition 65:

International Regulations.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Candadian WHMIS.

Information not available.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H302+H332	Harmful if swallowed or if inhaled.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code - ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)

- CAS NUMBER: Chemical Abstract Service Number

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 3/11/2015
P62363 - Potassium Fluoride 20% w/v	Printed on 11/3/2015
	Page n. 10/10
CE50: Effective concentration (required to induce a 50% effect) CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act) CLP: EC Regulation 1272/2008 DEA: Drug Enforcement Administration EmS: Emergency Schedule EPA: US Environmental Protection Agency EPCRA: Emergency Planning and Community Right-to Know Act EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code EPCRA 302 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code) EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code) GHS: Globally Harmonized System of classification and labeling of chemicals IATA DGR: International Air Transport Association Dangerous Goods Regulation IC50: International Air Transport Association Dangerous Goods Regulation IC50: International Maritime Organization LC50: Lethal Concentration 50% IMO: International Maritime Organization LC50: Lethal Concentration 50% D50: Lethal dose 50% OEL: Occupational Exposure Level PEL: Predicted exposure Level PEL: Predicted exposure Level PEL: Predicted exposure lemit RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TSCA: Toxic Substances Control Act TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit TWA: Time-weighted average exposure limit TWA: Time-weighted average exposure limit WMMIS: Workplace Hazardous Materials Information System.)
GENERAL BIBLIOGRAPHY:	
GHS rev. 3 The Merck Index. 10th Edition	
Handling Chemical Safety	
Niosh - Registry of Toxic Effects of Chemical Substances INRS - Fiche Toxicologique (toxicological sheet)	
Patty - Industrial Hygiene and Toxicology	
N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition	
ECHA website	

- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)

- IARC website

- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.

- OSHA website

- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.