EXAXOL CHEM	ICAL CORPORATION	Revision nr. 1
		Dated 8/15/2019
		First compilation
P6256 - Potas	sium lodide 5% w/v	Printed on 8/21/2019
		Page n. 1/13
	Cofety Data Chast	
	Safety Data Sheet	
	According to U.S.A. Federal Hazcom 2012	
1. Identification		
1.1. Product identifier Code:	P6256	
Product name	Potassium Iodide 5% w/v	
1.2. Relevant identified uses of the substance or	mixture and uses advised against	
Intended use For laboratory use of		
1.3. Details of the supplier of the safety data shee	<b>St</b>	
Name	EXAXOL CHEMICAL CORPORATION	
Full address District and Country	14325 60 TH ST N 33760 CLEARWATER - FLORIDA	
	US	
	Tel. 1-727-524-7732	
	Fax 1-727-532-8221	
e-mail address		
	info@exaxol.com	
1.4. Emergency telephone number		
For urgent inquiries refer to	1-800-255-3924	
	ChemTel Inc.	
2. Hazards identification		
2.1. Classification of the substance or mixture		
The product is classified as hazardous pursuant to th	e provisions set forth in OSHA Hazard Commun	vication Standard (HCS) (29 CFR 1910 1200). The
product thus requires a safety datasheet.		
Any additional information concerning the risks for hea	in and/or the environment are given in sections	11 and 12 of this sheet.
Classification and Hazard Statement		
Hazard pictograms: Respiratory sensitization, category 1	May cause allergy or	
	asthma symptoms or	
	breathing difficulties if inhaled.	
Skin sensitization, category 1	May cause an allergic skin reaction.	

	EXAXOL CHEMI	CAL CORPORATION	Revision nr. 1
			Dated 8/15/2019
			First compilation
	P6256 - Potass	sium lodide 5% w/v	Printed on 8/21/2019
			Page n. 2/13
Signal words:	Danger		
lazard statements:			
H334 H317	May cause allergy or asthr May cause an allergic skin	na symptoms or breathing difficulties if inhaled. reaction.	
Precautionary statements	:		
Prevention: P261 P280 P272 P284 Response:	Wear protective gloves. Contaminated work clothin	e / gas / mist / vapours / spray. ng should not be allowed out of the workplace. tilation] wear respiratory protection.	
P342+P311 P333+P313 P304+P340 P302+P352 P363 Storage:	If skin irritation or rash occ		ing.
- Disposal: <b>P501</b>	Dispose of contents / conta	ainer to an approved waste disposal plant.	
2.2. Other hazards			
nformation not available			
3. Composition/	information on ingre	dients	
3.2. Mixtures			
Contains:			
Identification WATER	Conc. %	Classification:	
CAS 7732-18-5 EC 231-791-2 INDEX - <b>POTASSIUM IODIDE</b>	95		
CAS 7681-11-0	5	Respiratory sensitization, category 1 H33 H317	34, Skin sensitization, category 1

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## P6256 - Potassium lodide 5% w/v

Revision nr. 1 Dated 8/15/2019

First compilation

Printed on 8/21/2019

Page n. 3/13

## 4. First-aid measures

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## 5. Fire-fighting measures

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

## P6256 - Potassium lodide 5% w/v

Revision nr. 1 Dated 8/15/2019 First compilation Printed on 8/21/2019 Page n. 4/13

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

## 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory References:

TLV-ACGIH ACGIH 2018

POTASSIUM IODIDE Threshold Limit Value					
Туре	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH	-		0.01		
Legend:					

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired

## P6256 - Potassium lodide 5% w/v

Revision nr. 1 Dated 8/15/2019

First compilation

Printed on 8/21/2019

Page n. 5/13

through effective local aspiration. Personal protective equipment must comply with current regulations.

### HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

### EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold

values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance Colour Odour Odour threshold pH Melting point / freezing point Initial boiling point Boiling range Flash point Evaporation Rate Flammability of solids and gases Lower inflammability limit	liquid Not available Not available Not available Not available Not available > 93 °C Not available Not available Not available
Lower inflammability limit	Not available
Upper inflammability limit Lower explosive limit	Not available Not available
Upper explosive limit	Not available
Vapour pressure Vapour density	Not available Not available
Relative density	1.04
Solubility	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not available
Oxidising properties	Not available

#### 9.2. Other information

P6256 - Potassium Iodide 5% w/v

Information not available

## 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

Information not available

## 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

Revision nr. 1 Dated 8/15/2019

First compilation

Printed on 8/21/2019

Page n. 6/13

## P6256 - Potassium lodide 5% w/v

Revision nr. 1

Dated 8/15/2019 First compilation

Printed on 8/21/2019

Page n. 7/13

### ACUTE TOXICITY

Does not meet the classification criteria for this hazard class

### **SKIN CORROSION / IRRITATION**

Does not meet the classification criteria for this hazard class

### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin Sensitising for the respiratory system

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

Carcinogenicity Assessment: 7681-11-0POTASSIUM IODIDE ACGIH:: A4

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

EXAXOL CHE	MICAL CORPORATION	Revision nr. 1
		Dated 8/15/2019
		First compilation
P6256 - Pot	assium lodide 5% w/v	Printed on 8/21/2019
10200 104		Page n. 8/13
		I
Information not available		
12.2. Devoictance and degradability		
12.2. Persistence and degradability		
POTASSIUM IODIDE		
Solubility in water	> 10000 mg/l	
Rapidly degradable		
12.3. Bioaccumulative potential		
POTASSIUM IODIDE		
Partition coefficient: n-octanol/water	-0.958	
BCF	2.268	
12.4. Mobility in soil		
Information not available		
12.5. Results of PBT and vPvB assessment		
On the basis of available data, the product does not	t contain any PBT or vPvB in percentage greater the	an 0,1%.
12.6. Other adverse effects		
Information not available		

## 13. Disposal considerations

### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 8/15/2019
	First compilation
P6256 - Potassium lodide 5% w/v	Printed on 8/21/2019
	Page n. 9/13
	I

Not applicable

### 14.3. Transport hazard class(es)

Not applicable

## 14.4. Packing group

Not applicable

### 14.5. Environmental hazards

Not applicable

### 14.6. Special precautions for user

Not applicable

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

### TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

## P6256 - Potassium lodide 5% w/v

Revision nr. 1 Dated 8/15/2019

First compilation

Printed on 8/21/2019

Page n. 10/13

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

<u>Clean Water Act –</u> Priority Pollutants:

No component(s) listed.

<u>Clean Water Act –</u> Toxic Pollutants:

No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):

No component(s) listed.

DEA List II Chemicals (Essential Chemicals):

No component(s) listed.

EPA List of Lists:

313 Category Code:

No component(s) listed.

EPCRA 302 EHS TPQ:

No component(s) listed.

EPCRA 304 EHS RQ:

No component(s) listed.

CERCLA RQ:

No component(s) listed.

EPCRA 313 TRI:

No component(s) listed.

RCRA Code:

No component(s) listed.

CAA 112 (r) RMP TQ:

No component(s) listed.

State Regulations

	Devision on 4
EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 8/15/2019
	First compilation
P6256 - Potassium Iodide 5% w/v	Printed on 8/21/2019
	Page n. 11/13
Massachussetts:	
No component(s) listed.	
Minnesota:	
No component(s) listed.	
New Jersey:	
No component(s) listed.	
New York:	
No component(s) listed.	
Pennsylvania:	
No component(s) listed.	
<u>California:</u>	
No component(s) listed.	
Proposition 65:	
International Regulations	
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:	
None	
Substances subject to the Rotterdam Convention:	
None	
Substances subject to the Stockholm Convention:	
None	
Candadian WHMIS	
Information not available	

# 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H317May cause an allergic skin reaction.

LEGEND:

Revision nr. 1

Dated 8/15/2019 First compilation

P6256 - Potassium lodide 5% w/v

Printed on 8/21/2019 Page n. 12/13 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code ADR: European Agreement concerning the carriage of Dangerous goods by Road CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®) CAS NUMBER: Chemical Abstract Service Number CE50: Effective concentration (required to induce a 50% effect) CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act) CLP: EC Regulation 1272/2008 DEA: Drug Enforcement Administration EmS: Emergency Schedule EPA: US Environmental Protection Agency EPCRA: Emergency Planning and Community Right-to Know Act EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code) EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code) EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code) GHS: Globally Harmonized System of classification and labeling of chemicals IATA DGR: International Air Transport Association Dangerous Goods Regulation IC50: Immobilization Concentration 50% IMDG: International Maritime Code for dangerous goods IMO: International Maritime Organization LC50: Lethal Concentration 50% LD50: Lethal dose 50% **OEL: Occupational Exposure Level** PEL: Predicted exposure level RCRA Code: Resource Conservation and Recovery Act Code **REL:** Recommended exposure limit RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. **TSCA:** Toxic Substances Control Act TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds WHMIS: Workplace Hazardous Materials Information System. GENERAL BIBLIOGRAPHY: GHS rev. 3 The Merck Index. 10th Edition Handling Chemical Safety Niosh - Registry of Toxic Effects of Chemical Substances INRS - Fiche Toxicologique (toxicological sheet) Patty - Industrial Hygiene and Toxicology N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition ECHA website Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy 6 NYCRR part 597 Cal/OSHA website California Safe Drinking Water and Toxic Enforcement Act EPA website Hazard Comunication Standard (HCS 2012) IARC website List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act Massachussetts 105 CMR Department of public health 670.000: "Right to Know" Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know". New Jersey Worker and Community Right to know Act N.J.S.A. NTP. 2011. Report on Carcinogens, 12th Edition. OSHA website Pennsylvania, Hazardous Substance List, Chapter 323 Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

EXAXOL CHEMICAL CORPORATION	Revision nr. 1
	Dated 8/15/2019
	First compilation
P6256 - Potassium Iodide 5% w/v	Printed on 8/21/2019
	Page n. 13/13
	I