EMICAL CORPORATION	Revision nr. 2
	Dated 6/27/2023 Printed on 6/27/2023
S65888 - Sodium Hydroxide 1N Solution	
	Page n. 1/13
	Replaced revision:1 (Dated: 9/25/2019)
Safety Data Sheet According to U.S.A. Federal Hazcom 2012	
S65888	
Sociality Hydroxide IN Solution	
e or mixture and uses advised against use only.	
sheet	
EXAXOL CHEMICAL CORPORATION 14325 60 TH ST N 33760 CLEARWATER - FLORIDA US	
Tel. 1-727-524-7732	
Fax 1-727-532-8221	
info@exaxol.com	
1-800-255-3924 ChemTel Inc.	
to the provisions set forth in OSHA Hazard Communica r health and/or the environment are given in sections 11	
	um Hydroxide 1N Solution Safety Data Sheet According to U.S.A. Federal Hazcom 2012 S65888 Sodium Hydroxide 1N Solution e or mixture and uses advised against use only. Sheet EXAXOL CHEMICAL CORPORATION 14325 60 TH ST N 33760 CLEARWATER - FLORIDA US Tel. 1-727-524-7732 Fax 1-727-532-8221 info@exaxol.com 1-800-255-3924 ChemTel Inc.

Hazard pictograms: Skin corrosion, category 1

Serious eye damage, category 1



Causes severe skin burns and eye damage. Causes serious eye damage.

	EXAXOL CHEMIC	AL CORPORATION	Revision nr. 2 Dated 6/27/2023
	Printed on 6/27/2023		
S65888 - Sodium Hydroxide 1N Solution			Page n. 2/13
			Replaced revision:1 (Dated: 9/25/2019)
Signal words:	Danger		
Hazard statements:			
H314	Causes severe skin burns an	d eye damage.	
Precautionary statements:			
Prevention:			
P260 P280	Do not breathe dust / fume / g	gas / mist / vapours / spray. ective clothing / eye protection / face protection.	
P264	Wash skin thoroughly after ha	andling.	
Response: P305+P351+P338	IF IN EYES: Rinse cautiously rinsing.	with water for several minutes. Remove contact lenses, if	present and easy to do. Continue
P301+P330+P331	IF SWALLOWED: Rinse mou		
P303+P361+P353		if immediately all contaminated clothing. Rinse skin with w	ater / shower.
P310 P304+P340	Immediately call a POISON (IF INHALED: remove person	to fresh air and keep comfortable for breathing.	
P363	Wash contaminated clothing		
Storage: P405	Store locked up.		
Disposal:	·		
P501	Dispose of contents / contain	er to an approved waste disposal plant.	
2.2. Other hazards			
Information not available			
3. Composition/in	nformation on ingredi	ents	
3.2. Mixtures			
Contains:			
Identification	x = Conc. %	Classification:	
WATER			
CAS 7732-18-5	95 ≤ x < 97		
EC 231-791-2			
INDEX -			
SODIUM HYDROXIDE			
CAS 1310-73-2	4 ≤ x < 4,5	Substance or mixture corrosive to metals, category 1 H	290, Skin corrosion,
		category 1A H314, Serious eye damage, category 1 H3	318, Eye irritation,
EC 215-185-5		category 2A H319	
INDEX 011-002-00-6			

The full wording of hazard (H) phrases is given in section 16 of the sheet.

4. First-aid measures

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023

Printed on 6/27/2023 Page n. 3/13

Replaced revision:1 (Dated: 9/25/2019)

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

5. Fire-fighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023

Printed on 6/27/2023 Page n. 4/13

Replaced revision:1 (Dated: 9/25/2019)

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

USA	NIOSH-REL	NIOSH publication No. 2005-149, 3th printing, 2007.
USA	OSHA-PEL	Occupational Exposure Limits - Limits for Air Contaminants TABLE Z-1-1910.1000.
USA	CAL/OSHA-PEL TLV-ACGIH	California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs). ACGIH 2018
	ILV-ACGIN	ACGIN 2018

SODIUM HYDROXIDE

Threshold Limit Value	e					
Туре	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH	-			2 (C)		
OSHA	USA	2				
CAL/OSHA	USA	2				
NIOSH	USA			2 (C)		

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023 Printed on 6/27/2023

Page n. 5/13

Replaced revision:1 (Dated: 9/25/2019)

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023

Printed on 6/27/2023 Page n. 6/13

Replaced revision:1 (Dated: 9/25/2019)

9.2. Other information

Information not available

10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

SODIUM HYDROXIDE

Avoid exposure to: air,moisture,sources of heat.

10.5. Incompatible materials

SODIUM HYDROXIDE

Incompatible with: strong acids, ammonia, zinc, lead, aluminium, water, flammable liquids.

10.6. Hazardous decomposition products

Information not available

11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023

Printed on 6/27/2023 Page n. 7/13

Replaced revision:1 (Dated: 9/25/2019)

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

SODIUM HYDROXIDE

LD50 (Oral) 1350 mg/kg Rat

LD50 (Dermal) 1350 mg/kg Rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023

Printed on 6/27/2023 Page n. 8/13

Replaced revision:1 (Dated: 9/25/2019)

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

SODIUM HYDROXIDE	
LC50 - for Fish	125 mg/l/96h Mosquito Fish
EC50 - for Crustacea	40,4 mg/l/48h water flea

12.2. Persistence and degradability

SODIUM HYDROXIDE	
Solubility in water	> 10000 mg/l
Degradability: information not available	

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023

Printed on 6/27/2023 Page n. 9/13

Replaced revision:1 (Dated: 9/25/2019)

14. Transport information

14.1. UN number

ADR / RID, IMDG, 1824 IATA:

14.2. UN proper shipping name

ADR / RID:	SODIUM HYDROXIDE SOLUTION
IMDG:	SODIUM HYDROXIDE SOLUTION
IATA:	SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

ADR / RID:	Class: 8	Label: 8
IMDG:	Class: 8	Label: 8
ΙΑΤΑ:	Class: 8	Label: 8



14.4. Packing group

ADR / RID, IMDG, III IATA:

14.5. Environmental hazards

ADR / RID:	NO
IMDG:	NO
IATA:	NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special Provision: -	Limited Quantities: 1 L	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 1 L	
IATA:	Cargo:	Maximum quantity: 30 L	Packaging instructions: 855
	Pass.:	Maximum quantity: 1 L	Packaging instructions: 851
	Special Instructions:	A3, A803	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023

Printed on 6/27/2023 Page n. 10/13

Replaced revision:1 (Dated: 9/25/2019)

Information not relevant

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

<u>Clean Water Act –</u> Priority Pollutants:

No component(s) listed.

<u>Clean Water Act –</u> <u>Toxic Pollutants:</u>

No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):

No component(s) listed.

DEA List II Chemicals (Essential Chemicals):

No component(s) listed.

EPA List of Lists:

313 Category Code:

No component(s) listed.

EPCRA 302 EHS TPQ:

No component(s) listed.

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023

Printed on 6/27/2023 Page n. 11/13

Replaced revision:1 (Dated: 9/25/2019)

		Replaced revision:1 (Dated: 9/25/2019)
EPCRA 304 EHS RQ:		
No component(s) listed.		
CERCLA RQ:		
1310-73-2 EPCRA 313 TRI:	SODIUM HYDROXIDE	
No component(s) listed.		
RCRA Code:		
No component(s) listed.		
CAA 112 (r) RMP TQ:		
No component(s) listed.		
State Regulations		
Massachussetts:		
1310-73-2	SODIUM HYDROXIDE	
<u>Minnesota:</u>		
1310-73-2 <u>New Jersey:</u>	SODIUM HYDROXIDE	
1310-73-2 <u>New York:</u>	SODIUM HYDROXIDE	
1310-73-2 <u>Pennsylvania:</u>	SODIUM HYDROXIDE	
1310-73-2 <u>California:</u>	SODIUM HYDROXIDE	
1310-73-2 Proposition 65:	SODIUM HYDROXIDE	
International Regulations		
Substances subject to exportation reporting pu	ursuant to (EC) Reg. 649/2012:	
None		
Substances subject to the Rotterdam Convent	tion:	
None		

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023

Printed on 6/27/2023 Page n. 12/13

Replaced revision:1 (Dated: 9/25/2019)

Substances subject to the Stockholm Convention:

None

Candadian WHMIS

Information not available

16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology

S65888 - Sodium Hydroxide 1N Solution

Revision nr. 2

Dated 6/27/2023

Printed on 6/27/2023 Page n. 13/13

Replaced revision:1 (Dated: 9/25/2019)

- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website

- Hazard Comunication Standard (HCS 2012)

- IARC website

- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act

- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.

- NTP. 2011. Report on Carcinogens, 12th Edition.

- OSHA website

- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 03 / 12 / 16.

⁻ N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition