ΕΧΔΧΟΙ ΟΙ	HEMICAL CORPORATION	Revision nr. 1
		Dated 7/3/2019
		First compilation
700044 75		Printed on 7/3/2019
296211 - ZIN	c Chloride 0.115N Solution	Page n. 1/13
		rage II. 1/13
	Safety Data Sheet	
	According to U.S.A. Federal Hazcom 2012	
1. Identification		
1.1. Product identifier		
Code: Product name	Z96211 Zinc Chloride 0.115N Solution	
1.2. Relevant identified uses of the substar Intended use For laborator		
Intended use For laboratory	y use only.	
1.3. Details of the supplier of the safety dat		
Name Full address	EXAXOL CHEMICAL CORPORATION 14325 60 TH ST N	
District and Country	33760 CLEARWATER - FLORIDA	
	US	
	Tel. 1-727-524-7732	
	Fax 1-727-532-8221	
e-mail address		
	info@exaxol.com	
1.4. Emergency telephone number		
<b>1.4. Emergency telephone number</b> For urgent inquiries refer to	1-800-255-3924	
	ChemTel Inc.	
2. Hazards identification		
1. Classification of the substance or mixtu	re	
azard pictograms: The product is not		
lassified as hazardous		
oursuant to the provisions		
et forth in OSHA Hazard		
HCS) (29 CFR		

(HCS) (29 CFR 1910.1200). However, since the product contains hazardous contains nazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information.

Signal words:

--

	EXAXOL CHEMICAL CORPORATION	Revision nr. 1
		Dated 7/3/2019
		First compilation
	Z96211 - Zinc Chloride 0.115N Solution	Printed on 7/3/2019
		Page n. 2/13
		Ι
Hazard statements:		
	-	
Precautionary statements:		
Prevention:		
Response:		
Storage:		
 Disposal:		
2.2. Other hazards		
2.2. Other hazards		
Environmental classification	n as for Reg. (EU) 1272/2008 (CLP):	
		(22.22)
The product is classified as	hazardous for environment pursuant to the provisions set forth in EC Regulation 1272	/2008 (CLP).
Classification and Hazard S	Statement	
Hazardous to the aquatic	environment, chronic toxicity, category 2 Toxic to aquatic life with long las	ting effects.
Hazard pictograms:		
XL		
Hazard statements:		
	_	
H411	Toxic to aquatic life with long lasting effects.	
Precautionary statements:		
Drevention		
Prevention: P273	Avoid release to the environment.	
Response: P391	Callect chillege	
Storage:	Collect spillage.	
 Disposal:		
P501	Dispose of contents / container to an approved waste disposal plant.	
Additional hazards		
Information not available		
3. Composition/ir	formation on ingredients	
3.2. Mixtures		

## Z96211 - Zinc Chloride 0.115N Solution

Revision nr. 1

Dated 7/3/2019 First compilation

Printed on 7/3/2019

Page n. 3/13

#### Contains:

Identification	Conc. %	Classification:
WATER		
CAS 7732-18-5	99.216	
EC 231-791-2		
INDEX -		
ZINC CHLORIDE		
CAS 7646-85-7	0.784	Acute toxicity, category 4 H302, Skin corrosion, category 1B H314, Serious eye damage, category 1 H318, Specific target organ toxicity - single exposure, category 3 H335, Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=10, Hazardous to the aquatic environment, chronic toxicity, category 1 H410 M=10
EC 231-592-0		

INDEX 030-003-00-2

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## 4. First-aid measures

#### 4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for

Z96211 - Zinc Chloride 0.115N Solution

Revision nr. 1

Dated 7/3/2019 First compilation

Printed on 7/3/2019

Page n. 4/13

extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

## 8. Exposure controls/personal protection

#### 8.1. Control parameters

Regulatory References:

USA         OSHA-PEL         Occupational Exposure Limits - Limits for Air Contaminants TABLE Z-1-1910.1000.           USA         CAL/OSHA-PEL         California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs).	USA	NIOSH-REL	NIOSH publication No. 2005-149, 3th printing, 2007.
	USA	OSHA-PEL	Occupational Exposure Limits - Limits for Air Contaminants TABLE Z-1-1910.1000.
	USA	CAL/OSHA-PEL	California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs).
TLV-ACGIH ACGIH 2018		TLV-ACGIH	ACGIH 2018

#### ZINC CHLORIDE

Revision nr. 1

Dated 7/3/2019 First compilation

## Printed on 7/3/2019

Page n. 5/13

# Z96211 - Zinc Chloride 0.115N Solution

### Threshold Limit Value

Туре	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH	-	1		2		
OSHA	USA	1				
CAL/OSHA	USA	1		2		
NIOSH	USA	1		2		

#### Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

#### HAND PROTECTION

Protect hands with category III work gloves (OSHA 29 CFR 1910.138).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration

and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Colour Odour Odour threshold	liquid Not available Not available Not available
Odour threshold	Not available
рН	Not available

## Z96211 - Zinc Chloride 0.115N Solution

Not available

Not available Not available

Not available

Not available

Not available

Not available

Not available

Not available

Not available

Not available

Not available

Not available Not available

Not available

Not available Not available

Not available

1.01

> 93 °C

Revision nr. 1

Dated 7/3/2019 First compilation

## Printed on 7/3/2019

Page n. 6/13

Melting point / freezing point Initial boiling point Boiling range Flash point Evaporation Rate Flammability of solids and gases Lower inflammability limit Upper inflammability limit Lower explosive limit Upper explosive limit Vapour pressure Vapour density Relative density Solubility Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidising properties

#### 9.2. Other information

Information not available

### 10. Stability and reactivity

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

Information not available

## 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological

## Z96211 - Zinc Chloride 0.115N Solution

Revision nr. 1

Dated 7/3/2019 First compilation

Printed on 7/3/2019

Page n. 7/13

effects of exposure to the product.

### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

Does not meet the classification criteria for this hazard class

**SKIN CORROSION / IRRITATION** 

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

## Z96211 - Zinc Chloride 0.115N Solution

Revision nr. 1 Dated 7/3/2019

First compilation

Printed on 7/3/2019

Page n. 8/13

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment. 12.1. Toxicity

ZINC CHLORIDE	
LC50 - for Fish	0,6 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	0,1 mg/l/48h Daphnia magna

#### 12.2. Persistence and degradability

ZINC CHLORIDE Solubility in water Degradability: information not available

> 10000 mg/l

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects

Information not available

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# Z96211 - Zinc Chloride 0.115N Solution

Revision nr. 1

Dated 7/3/2019 First compilation

## Printed on 7/3/2019

Page n. 9/13

## 14. Transport information

### 14.1. UN number

ADR / RID, IMDG,	3082
ADR / RID:	In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to ADR provisions.
IMDG:	In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to IMDG Code provisions.
IATA:	In accordance with SP A197, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to IATA dangerous goods regulations.

## 14.2. UN proper shipping name

ADR / RID:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC CHLORIDE)
IMDG:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC CHLORIDE)
IATA:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC CHLORIDE)

### 14.3. Transport hazard class(es)

ADR / RID:	Class: 9	Label: 9	
IMDG:	Class: 9	Label: 9	, M
IATA:	Class: 9	Label: 9	, M.

#### 14.4. Packing group

ADR / RID, IMDG, III IATA:

	EXAXOL	CHEMICAL CORPORAT			Revision nr. 1	
					Dated 7/3/2019	
					First compilation	
	796211 -	Zinc Chloride 0.115N So	lution		Printed on 7/3/20	19
	LUULII				Page n. 10/13	
4.5. Environmen	ntal hazards					
ADR / RID:	Environmentally Hazardous					
IMDG:	Marine Pollutant		×			
IATA:	Environmentally Hazardous					
4.6. Special pred	cautions for user					
ADR / RID:		HIN - Kemler: 90		Limited Quantities: 5 L		Tunnel restriction code: (-)
		Special Provision: -		L		coue. (-)
IMDG:		EMS: F-A, S-F		Limited Quantities: 5 L		
IATA:		Cargo:		L Maximum quantity: 450		Packaging instructions: 964
		Pass.:		L Maximum quantity: 450 I		Packaging instructions: 964
		Special Instructions:		L A97, A158, A197		304

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

## 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

EXAXOL CHEMICAL	CORPORATION	Revision nr. 1
		Dated 7/3/2019
		First compilation
Z96211 - Zinc Chloride	e 0.115N Solution	Printed on 7/3/2019
		Page n. 11/13
<u>Clean Water Act –</u> Priority Pollutants:		
No component(s) listed.		
<u>Clean Water Act –</u> <u>Toxic Pollutants:</u>		
7646-85-7	ZINC CHLORIDE (Zinc compounds, Zinc chloride fume)	
DEA List I Chemicals (Precursor Chemicals):		
No component(s) listed.		
DEA List II Chemicals (Essential Chemicals):		
No component(s) listed.		
EPA List of Lists:		
313 Category Code:		
7646-85-7	ZINC CHLORIDE (Zinc compounds, Zinc chloride fume)	
EPCRA 302 EHS TPQ:		
No component(s) listed.		
EPCRA 304 EHS RQ:		
No component(s) listed.		
CERCLA RQ:		
7646-85-7	ZINC CHLORIDE (Zinc compounds, Zinc chloride fume)	
EPCRA 313 TRI:		
7646-85-7	ZINC CHLORIDE (Zinc compounds, Zinc chloride fume)	
RCRA Code:		
No component(s) listed.		
CAA 112 (r) RMP TQ:		
No component(s) listed.		
State Regulations		
Massachussetts:		
7646-85-7	ZINC CHLORIDE (Zinc compounds,	

		Dated 7/3/2019
		First compilation
Z96211 - Zinc Chloride 0.115N Solution		Printed on 7/3/2019
		Page n. 12/13
	Zinc chloride fume)	
nnesota:		
646-85-7	ZINC CHLORIDE (Zinc compounds, Zinc chloride fume)	
w Jersey:		
646-85-7	ZINC CHLORIDE (Zinc compounds,	
w York:	Zinc chloride fume)	
646-85-7	ZINC CHLORIDE (Zinc compounds,	
nnsylvania:	Zinc chloride fume)	
646-85-7	ZINC CHLORIDE (Zinc compounds,	
lifornia:	Zinc chloride fume)	
646-85-7	ZINC CHLORIDE (Zinc compounds, Zinc chloride fume)	
pposition 65:		
ernational Regulations		
bstances subject to exportation reporting pursuant	to (EC) Reg. 649/2012:	
ne		
bstances subject to the Rotterdam Convention:		
ne		
bstances subject to the Stockholm Convention:		
ne		
ndadian WHMIS		
ormation not available		

## 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause respiratory irritation.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
 - ADR: European Agreement concerning the carriage of Dangerous goods by Road
 - CAA 112 
 <sup>®</sup> RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112<sup>®</sup>)

#### Revision nr. 1 **EXAXOL CHEMICAL CORPORATION** Dated 7/3/2019 First compilation Printed on 7/3/2019 Z96211 - Zinc Chloride 0.115N Solution Page n. 13/13 CAS NUMBER: Chemical Abstract Service Number CE50: Effective concentration (required to induce a 50% effect) CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act) CLP: EC Regulation 1272/2008 DEA: Drug Enforcement Administration EmS: Emergency Schedule EPA: US Environmental Protection Agency EPCRA: Emergency Planning and Community Right-to Know Act EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code) EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code) EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code) GHS: Globally Harmonized System of classification and labeling of chemicals IATA DGR: International Air Transport Association Dangerous Goods Regulation IC50: Immobilization Concentration 50% IMDG: International Maritime Code for dangerous goods IMO: International Maritime Organization LC50: Lethal Concentration 50% LD50: Lethal dose 50% **OEL: Occupational Exposure Level** PEL: Predicted exposure level RCRA Code: Resource Conservation and Recovery Act Code REL: Recommended exposure limit RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TSCA: Toxic Substances Control Act TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds WHMIS: Workplace Hazardous Materials Information System. GENERAL BIBLIOGRAPHY: GHS rev. 3 The Merck Index, 10th Edition Handling Chemical Safety Niosh - Registry of Toxic Effects of Chemical Substances INRS - Fiche Toxicologique (toxicological sheet) Patty - Industrial Hygiene and Toxicology N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition ECHA website Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy 6 NYCRR part 597 Cal/OSHA website California Safe Drinking Water and Toxic Enforcement Act FPA website Hazard Comunication Standard (HCS 2012) IARC website List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA. CERCLA and Section 112® of the Clean Air Act Massachussetts 105 CMR Department of public health 670.000: "Right to Know" Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know". New Jersey Worker and Community Right to know Act N.J.S.A. NTP. 2011. Report on Carcinogens, 12th Edition. OSHA website Pennsylvania, Hazardous Substance List, Chapter 323 Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.